Brain Research, 558 (1991) 357–359
Elsevier

Author Index

Aibara, K. and Akaike, N., Acetylcholine-activated ionic currents in isolated paratracheal ganglion cells of the rat, 20
Akaike, N., see Aibara, K., 20
Amsterdam van, F.T.M., see Copani, A., 79
Anderson, J.P., see Toran-Allerand, C.D., 296
Anderson, R.E., see Lyons, M.K., 315
Araki, W., see Shimohama, S., 105
Arlinghaus, L.E., see Eisenman, L.M., 149
Aronica, E., see Copani, A., 79
Arvidsson, U., Ulfhake, B., Cullheim, S., Terenius, L. and Hökfelt, T., Calcitonin gene-related peptide in monkey spinal cord and medulla oblongata, 330
Asztely, F., Hanse, E., Wigström, H. and Gustafsson, B., Synaptic potentiation in the hippocampal CA1 region induced by application of *N*-methyl-D-aspartate, 153

Badoer, E., see Itoi, K., 123
Bartfai, T., see Land, T., 245
Bazán-Perkins, B., see Paz, C., 90
Becker, D.P., see Katayama, Y., 136
Bédard, P.J., see Gagnon, C., 251
Ben-Eliyahu, S., see Marek, P., 163
Benetti, A.P., see Bereiter, D.A., 53
Bentham, W., see Toran-Allerand, C.D., 296
Bereiter, D.A. and Benetti, A.P., Microinjections of calcitonin gene-related peptide within the trigeminal subnucleus caudalis of the cat affects adrenal and autonomic function, 53
Beuche, W., Differential isolation of eosinophils and myelin phagocytes from mouse peripheral nerves during Wallerian degeneration by uncoated and immunoglobulin-coated sheep red blood cells, 101
Bickford-Wimer, P., Pang, K., Rose , G.M. and Gerhardt, G.A., Electrically-evoked release of norepinephrine in the rat cerebellum: an in vivo electrochemical and electrophysiological study, 305
Blessing, W.W., see Gieroba, Z.J., 264
Bodnar, R., Paul, D. and Pasternak, G.W., Synergistic analgesic interactions between the periaqueductal gray and the locus coeruleus, 224
Boons, J., see Gheuens, J., 43
Brett, R.R. and Pratt, J.A., Muscimol-associated changes in local cerebral glucose use following chronic diazepam administration, 280
Brtva, R.D., see Iwamoto, G.A., 353
Bruno, V., see Copani, A., 79

Cadden, S.W. and Morrison, J.F.B., Effects of visceral distension on the activities of neurones receiving cutaneous inputs in the rat lumbar dorsal horn; comparison with effects of remote noxious somatic stimuli, 63
Campbell, K.J., Takada, M. and Hattori, T., Co-localization of tyrosine hydroxylase and glutamate decarboxylase in a subpopulation of single nigrotectal projection neurons, 1
Canonico, P.L., see Copani, A., 79
Catania, M.V., see Copani, A., 79
Ceuterick-de Groote, C., see Gheuens, J., 43
Cheyne, D., see Starr, A., 181
Clement, M.E., see Iwamoto, G.A., 353
Cohen, H.L., Gootman, P.M., Hundley, B.W., Condemi, G. and Eberle, L.P., Power spectral analysis of the baroreflex in neonatal swine, 131
Condemi, G., see Cohen, H.L., 131
Copani, A., Canonico, P.L., Catania, M.V., Aronica, E., Bruno, V., Ratti, E., Vanamsterdam, F.T.M., Gaviraghi, G.and Nicoletti, F., Interaction between β-*N*-methylamino-L-alanine and excitatory amino acid receptors in brain slices and neuronal cultures, 79
Cotman, C.W., see Stevens, D.R., 120
Craig, A.D. and Hunsley, S.J., Morphine enhances the activity of thermoreceptive cold-specific lamina I spinothalamic neurons in the cat, 93
Crain, S.M., see Fan, S.-F., 166
Cras, P., Kawai, M., Siedlak, S. and Perry, G., Microglia are associated with the extracellular neurofibrillary tangles of Alzheimer disease, 312
Cras, P., see Gheuens, J., 43
Cullheim, S., see Arvidsson, U., 330
Culman, J., see Itoi, K., 123
Cunningham, J.T. and Johnson, A.K., The effects of central norepinephrine infusions on drinking behavior induced by angiotensin after 6-hydroxydopamine injections in to the anteroventral region of the third ventricle (AV3V), 112

Deecke, L., see Starr, A., 181
Detwiler, P., see Potter, P.E., 127
Di Paolo, T., see Gagnon, C., 251
Dragunow, M., Faull, R.L.M., Waldvogel, H.J., Williams, M.N. and Leah, J., Elevated expression of *jun* and *fos*-related proteins in transplanted striatal neurons, 321
Dresse, A., see Seutin, V., 141
Duan, Y.-F., see Winters, R.W., 171

Eberle, L.P., see Cohen, H.L., 131
Egawa, M., see Tanaka, Y., 273
Eisenman, L.M. and Arlinghaus, L.E., Spinocerebellar projection in the meander tail mutant mouse: organization in the granular posterior lobe and the agranular anterior lobe, 149
Elliot, G.J., see Lee, H.J., 197

Fan, S.-F., Shen, K.-F. and Crain, S.M., Opioids at low concentration decrease openings of K^+ channels in sensory ganglion neurons, 166
Faull, R.L.M., see Dragunow, M., 321
Finnegan, K.T., Kerr, J.T. and Langston, J.W., Dextromethorphan protects against the neurotoxic effects of *p*-chloroamphetamine in rats, 109
Fisher, J.E., Pasik, P. and Pasik, T., The magnocellular and parvocellular divisions of the monkey subthalamic nucleus as revealed by cluster analysis of neuronal sizes, 209

Gagnon, C., Bédard, P.J., Rioux, L., Gaudin, D., Martinoli, M.G., Pelletier, G. and Di Paolo, T., Regional changes of striatal dopamine receptors following denervation by 6-hydroxydopamine and fetal mesencephalic grafts in the rat, 251
Gambetti, P.L., see Gheuens, J., 43
Gaudin, D., see Gagnon, C., 251
Gaviraghi, G., see Copani, A., 79
Gerhardt, G.A., see Bickford-Wimer, P., 305
Gheuens, J., Cras, P., Perry, G., Boons, J., Ceuterick-de Groote, C., Lübke, U., Mercken, M., Tabaton, M., Gambetti, P.L., Vandermeeren, M., Mulvihill, P., Siedlak, S., Van Heuverswijn, H. and Martin, J.-J., Demonstration of a novel neurofilament associated antigen with the neurofibrillary pathology of Alzheimer and related diseases, 43
Gieroba, Z.J., Li, Y.-W., Wesselingh, S.L. and Blessing, W.W., Transneuronal labeling of neurons in rabbit brain after injection of herpes simplex virus type 1 into the aortic depressor nerve, 264
Gootman, P.M., see Cohen, H.L., 131
Green, E.J., see Winters, R.W., 171
Gross, P.M., see Wall, K.M., 325
Gruol, D.L., Chronic exposure to alcohol during development alters the membrane properties of cerebellar Purkinje neurons in culture, 1
Gustafsson, B., see Asztely, F., 153
Gutierrez-Baeza, F., see Paz, C., 90

Hammond, D.N., see Lee, H.J., 197
Hanse, E., see Asztely, F., 153
Hara, T.J., see Sorensen, P.W., 343
Hards, D.K., see Oldfield, B.J., 13
Hattori, T., see Campbell, K.J., 1
Henke, P.G., see Ray, A., 335
Hökfelt, T., see Arvidsson, U., 330
Holian, O., Ruiz, C., Kumar, R. and Nyhus, L.M., Response of brain protein kinase C isozymes to ethyl oleate, an alcohol metabolite, 98
Hovda, D.A., see Katayama, Y., 136
Hundley, B.W., see Cohen, H.L., 131

Hunsley, S.J., see Craig, A.D., 93

Imamura, K., see Kasamatsu, T., 157
Inoue, S., see Tanaka, Y., 273
Ishikawa, E., see Ohgo, S., 217
Israel, J.M., see Lledo, P.-M., 231
Itoi, K., Jost, N., Badoer, E., Tschöpe, C., Culman, J. and Unger, T., Localization of the substance P-induced cardiovascular responses in the rat hypothalamus, 123
Iwamoto, G.A., Clement, M.E., Brtva, R.D. and McCall, R.B., Effects of muscular contraction on discharge patterns of neurons in the medullary raphe nuclei, 353

Jackson, A., see Tricklebank, M.D., 145
Johnson, A.K., see Cunningham, J.T., 112
Jones, J.P., see Rinaldi, P.C., 36
Jost, N., see Itoi, K., 123

Kalin, N.H., see Takahashi, L.K., 75
Kasamatsu, T., Ohashi, T. and Imamura, K., Lithium reduces ocular dominance plasticity in kitten visual cortex, 157
Katayama, Y., Kawamata, T., Tamura, T., Hovda, D.A., Becker, D.P. and Tsubokawa, T., Calcium-dependent glutamate release concomitant with massive potassium flux during cerebral ischemia in vivo, 136
Kawai, M., see Cras, P., 312
Kawamata, T., see Katayama, Y., 136
Kerr, J.T., see Finnegan, K.T., 109
Kimura, J., see Shimohama, S., 105
Kristeva, R., see Starr, A., 181
Kumar, R., see Holian, O., 98
Kuwasawa, K., see Tanaka, K., 339

Land, T., Langel, Ü. and Bartfai, T., Hypothalamic degradation of galanin(1–29) and galanin(1–16): identification and characterization of the peptidolytic products, 245
Landgraf, R. and Ludwig, M., Vasopressin release within the supraoptic and paraventricular nuclei of the rat brain: osmotic stimulation via microdialysis, 191
Langel, Ü., see Land, T., 245
Langston, J.W., see Finnegan, K.T., 109
Leah, J., see Dragunow, M., 321
Lee, H.J., Elliot, G.J., Hammond, D.N., Lee, V.M.-Y. and Wainer, B.H., Constitutive expression of the mature array of neurofilament proteins by a CNS neuronal cell line, 197
Lee, V.M.-Y., see Lee, H.J., 197
Li, H.-M., see Zhang, W.-B., 87
Li, J.-S., see Zhang, W.-B., 87
Li, Y.-W., see Gieroba, Z.J., 264
Liebeskind, J.C., see Marek, P., 163
Lindinger, G., see Starr, A., 181
Lledo, P.-M., Israel, J.M. and Vincent, J.-D., Chronic stimulation of D_2 dopamine receptors specifically inhibits calcium but not potassium currents in rat lactotrophs, 231
Lübke, U., see Gheuens, J., 43
Lucki, I., see Neisewander, J.L., 27
Ludwig, M., see Landgraf, R., 191
Lyons, M.K., Anderson, R.E. and Meyer, F.B., Basic fibroblast growth factor promotes in vivo cerebral angiogenesis in chronic forebrain ischemia, 315

Marek, P., Ben-Eliyahu, S., Vaccarino, A.L. and Liebeskind, J.C., Delayed application of MK-801 attenuates development of morphine tolerance in rats, 163
Martin, J.-J., see Gheuens, J., 43
Martinoli, M.G., see Gagnon, C., 251
Massotte, L., see Seutin, V., 141
Matsukura, S., see Ohgo, S., 217
McCabe, P.M., see Winters, R.W., 171
McCall, R.B., see Iwamoto, G.A., 353
McGonigle, P., see Neisewander, J.L., 27
McKinley, M.J., see Oldfield, B.J., 13
Mercken, M., see Gheuens, J., 43
Meyer, F.B., see Lyons, M.K., 315
Miranda, R.C., see Toran-Allerand, C.D., 296
Morrison, J.F.B., see Cadden, S.W., 63
Moskal, J.R., see Potter, P.E., 127
Mulvihill, P., see Gheuens, J., 43

Nagai, Y., see Yamamoto, H., 117
Nakae, H., Morphological differentiation of rat pheochromocytoma cells (PC12 cells) by electric stimulation, 348
Nakatsuru, K., see Ohgo, S., 217
Neisewander, J.L., Lucki, I. and McGonigle, P., Neurochemical changes associated with the persistence of spontaneous oral dyskinesia in rats following chronic reserpine treatment, 27
Nicoletti, F., see Copani, A., 79
Nyhus, L.M., see Holian, O., 98

Ohashi, T., see Kasamatsu, T., 157
Ohgo, S., Nakatsuru, K., Ishikawa, E. and Matsukura, S., Interleukin-1 (IL-1) stimulates the release of corticotropin-releasing factor (CRF) from superfused rat hypothalamo-neurohypophyseal complexes (HNC) independently of the histaminergic mechanism, 217
Oldfield, B.J., Hards, D.K. and McKinley, M.J., Projections from the subfornical organ to the supraoptic nucleus in the rat: ultrastructural identification of an interposed synapse in the median preoptic nucleus using a combination of neuronal tracers, 13
Oles, R.J., see Tricklebank, M.D., 145

Pang, K., see Bickford-Wimer, P., 305
Pasik, T., see Fisher, J.E., 209
Pasik, P., see Fisher, J.E., 209
Pasternak, G.W., see Bodnar, R., 224
Paul, D., see Bodnar, R., 224
Paz, C., Gutierrez-Baeza, F. and Bazán-Perkins, B., Transection of the superior cerebellar peduncle interferes with the onset and duration of generalized seizures induced by amygdaloid kindling, 90
Pelletier, G., see Gagnon, C., 251
Perry, G., see Cras, P., 312
Perry, G., see Gheuens, J., 43
Potter, P.E., Detwiler, P., Thorne, B. and Moskal, J.R., Diphenylhydantoin attenuates hypoxia-induced release of [^{3}H]glutamate from rat hippocampal slices, 127
Pratt, J.A., see Brett, R.R., 280
Price, L.R., see Rinaldi, P.C., 36

Ratti, E., see Copani, A., 79
Ray, A. and Henke, P.G., The basolateral amygdala, dopamine and gastric stress ulcer formation in rats, 335
Reines, F., see Rinaldi, P.C., 36
Rinaldi, P.C., Jones, J.P., Reines, F. and Price, L.R., Modification by focused ultrasound pulses of electrically evoked responses from an in vitro hippocampal preparation, 36
Rioux, L., see Gagnon, C., 251
Rose , G.M., see Bickford-Wimer, P., 305
Ruiz, C., see Holian, O., 98

Schneiderman, N., see Winters, R.W., 171
Seutin, V., Verbanck, P., Massotte, L. and Dresse, A., Acute amphetamine-induced subsensitivity of A_{10} dopamine autoreceptors in vitro, 141
Shen, K.-F., see Fan, S.-F., 166
Shimizu, K., see Shimohama, S., 105
Shimohama, S., Suenaga, T., Araki, W., Yamaoaka, Y., Shimizu, K. and Kimura, J., Presence of calpain II immunoreactivity in senile plaques in Alzheimer's disease, 105
Siedlak, S., see Gheuens, J., 43
Siedlak, S., see Cras, P., 312
Singh, L., see Tricklebank, M.D., 145
Sorensen, P.W., Hara, T.J. and Stacey, N.E., Sex pheromones selectively stimulate the medial olfactory tracts of male goldfish, 343
Stacey, N.E., see Sorensen, P.W., 343
Starr, A., Kristeva, R., Cheyne, D., Lindinger, G. and Deecke, L., Localization of brain activity during auditory verbal short-term memory derived from magnetic recordings, 181
Stevens, D.R. and Cotman, C.W., Long-term potentiation of excitatory and slow inhibitory synaptic potentials in the hippocampal-septal projection of the rat, 120
Stoessl, A.J. and Szczutkowski, E., Neurotensin and neurotensin analogues modify the effects of chronic neuroleptic administration in the rat, 289
Suenaga, T., see Shimohama, S., 105
Szczutkowski, E., see Stoessl, A.J., 289

Tabaton, M., see Gheuens, J., 43
Takada, M., see Campbell, K.J., 1
Takahashi, L.K. and Kalin, N.H., Early developmental and temporal characteristics of stress-induced secretion of pituitary-adrenal hormones in prenatally stressed rat pups, 75
Takamura, Y., see Tanaka, Y., 273
Tamura, T., see Katayama, Y., 136
Tanaka, K. and Kuwasawa, K., Identification of cardio-inhibitory neurons in the thoracic ganglion of the isopod crusta-

cean *Bathynomus doederleini*, 339
Tanaka, Y., Egawa, M., Inoue, S. and Takamura, Y., Effect of hypothalamic administration of growth hormone-releasing factor (GRF) on feeding behavior in rats, 273
Terenius, L., see Arvidsson, U., 330
Thorne, B., see Potter, P.E., 127
Toran-Allerand, C.D., Bentham, W., Miranda, R.C. and Anderson, J.P., Insulin influences astroglial morphology and glial fibrillary acidic protein (GFAP) expression in organotypic cultures, 296
Tricklebank, M.D., Singh, L., Jackson, A. and Oles, R.J., Evidence that a proconvulsant action of lithium is mediated by inhibition of *myo*-inositol phosphatase in mouse brain, 145
Tschöpe, C., see Itoi, K., 123
Tsubokawa, T., see Katayama, Y., 136
Tsuji, S., see Yamamoto, H., 117

Ulfhake, B., see Arvidsson, U., 330
Unger, T., see Itoi, K., 123

Vaccarino, A.L., see Marek, P., 163
Vandermeeren, M., see Gheuens, J., 43
Van Heuverswijn, H., see Gheuens, J., 43
Verbanck, P., see Seutin, V., 141
Vincent, J.-D., see Lledo, P.-M., 231

Wainer, B.H., see Lee, H.J., 197
Waldvogel, H.J., see Dragunow, M., 321
Wall, K.M. and Gross, P.M., Efferent metabolic effects of area postrema stimulation in renal hypertensive rats, 325
Wesselingh, S.L., see Gieroba, Z.J., 264
Wigström, H., see Asztely, F., 153
Williams, M.N., see Dragunow, M., 321
Winters, R.W., McCabe, P.M., Green, E.J., Duan, Y.-F. and Schneiderman, N., Electrophysiological evidence for hypothalamic defense area input to cells in the lateral tegmental field of the medulla of rabbits, 171

Yamamoto, H., Tsuji, S. and Nagai, Y., Establishment of a monoclonal antibody directed to the minor novel gangliosides in bovine brain and cultured neural cell lines, 117
Yamaoaka, Y., see Shimohama, S., 105

Zhang, W.-B., Li, J.-S. and Li, H.-M., SP-like immunoreactivity in the primary trigeminal neurons projecting to the nucleus tractus solitarii, 87